

PHP (2)

李博杰 2011-11-26

内容一览

超全局数组

类与对象

数据库

 关系型数据库简介

 SQL

 PHP 的 MySQL 扩展

PHP 超全局数组

`$GLOBALS`

`$_SERVER`

`$_GET`

`$_POST`

`$_REQUEST`

`$_FILES`

`$_SESSION`

`$_ENV`

`$_COOKIE`

\$_SERVER

```
phpinfo();
```

\$_GET

forum.php?board=10&post=2

\$_GET['board'] = 10

\$_GET['post'] = 2

\$_POST

```
<form action= “login.php method= “post” >
<input type= “text” name= “username” />
<input type= “password” name= “password” />
<input type= “button” value= “提交” >
</form>
```

```
<?php
$username = $_POST[ ‘username’ ];
$password = $_POST[ ‘password’ ];
$success=mysql_query ( “SELECT * FROM users WHERE `username` = ‘$username’ AND `password` = ‘$password’ ” );
```

SQL 注入

```
SELECT * FROM users WHERE `username` = 'hack' ;' AND password = 'fake' ;  
SELECT * FROM users WHERE `username` = 'hack' ; DROP TABLE users;' AND password = 'fake' ;
```

addslashes

```
$password = addslashes($_POST[ 'password' ]);  
hack' ; => hack\' ;
```


\$_REQUEST

```
$_REQUEST = array_merge($_GET, $_POST);
```

\$_FILES

\$_SESSION

`$_ENV`

\$_COOKIE

PHP 面向对象

数据库

SQL

PHP+MySQL
